





ATOM OB

design
Domus Line

Surface LED spotlight with asymmetrical beam

- Materials:**
thermoplastic polymers, polycarbonate
- Finish:**
black, chrome plated, aluminium, satin nickel, matt white
- Light source:**
LGP LED module
- Wiring:**
2000mm
- Application type:**
universal
- Installation:**
surface




Colour appearance natural white
Colour temperature 4000 Kelvin
Luminous flux 195 lm
Luminous efficiency 65 lm/W
CRI Ra ≥ 80

Colour appearance warm white
Colour temperature 3000 Kelvin
Luminous flux 180 lm
Luminous efficiency 60 lm/W
CRI Ra ≥ 80

Colour appearance super warm white
Colour temperature 2700 Kelvin
Luminous flux 180 lm
Luminous efficiency 60 lm/W
CRI Ra ≥ 80



24Vdc
Micro 24



ATOM OB, with 20° inclined support, is installed on surface and against the vertical wall, allowing to easily hide the power cable at the back of the shelf. It is mounted simply by fixing the spacer with the two screws supplied, then applying the spotlight and pressing lightly.
ATOM OB incorporates a special LED module with LGP diffuser ensuring a uniform projection beam without the dot effect.

ATOM OB



Code	Watt & Volt	Light colour
12621__N	3W @ 24Vdc	natural white
12621__B	3W @ 24Vdc	warm white
12621__B1	3W @ 24Vdc	super warm white

Code	Finish
03	black
09	chrome plated
10	aluminium
17	satin nickel
54	matt white

LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.

SETS OF 2, 3, 4 OR 5 ATOM OB AND LED CONVERTER ARE AVAILABLE ON REQUEST.



FOR LED CONVERTERS AND ACCESSORIES SEE PAGE 70.



FOR TUNABLE WHITE VERSIONS SEE THE **DOMUS LINE TW CATALOGUE**.



FOR OTHER ACCESSORIES SEE THE **DOMUS EXTRA CATALOGUE**.

FINISHES



BLACK (code 03)



CHROME PLATED (code 09)



ALUMINIUM (code 10)



SATIN NICKEL (code 17)



MATT WHITE (code 54)